Kawasaki, H., Nuki, C., Saito, A. and Takasaki, K., Adrenergic modulation of calcitonin gene-related peptide (CGRP)-containing nerve-mediated vasodilation in the rat mesenteric resistance vessel, 287
Kellogg, C., see Miranda, R., 85
Khalsa, S.B.S. and Block, G.D., Calcium in phase control of the *Bulla* circadian pacemaker, 40
Kim, Y.I., see Login, I.S., 331
Klein, D.T., see Bartha, L., 323
Kus, L., see LaPorte, R., 294

Lacombe, P.M., Iadecola, C., Underwood, M.D., Sved, A.F. and Reis, D.J., Plasma epinephrine modulates the cerebrovasodilation evoked by electrical stimulation of dorsal medulla, 93
LaPorte, R., Kus, L., Wisniewski, R.A., Prechel, M.M., Azar-Kia, B. and McNulty, J.A., Magnetic resonance imaging (MRI) effects on rat pineal neuroendocrine function, 294
Laverty, R., see Holmes, K.H., 227
Leclerc, N., Doré, L., Parent, A. and Hawkes, R., The compartmentalization of the monkey and rat cerebellar cortex: zebrin I and cytochrome oxidase, 70
Levine, S., see Shors, T.J., 316
Linde, G., see Borg, E., 79
Lindley, S.E., Gunnet, J.W., Lookingland, K.J. and Moore, K.E., 3,4-Dihydroxyphenylacetic acid concentrations in the intermediate lobe and neural lobe of the posterior pituitary gland as an index of tuberohypophysial dopaminergic neuronal activity, 133
Llobera, M., see Vilaró, S., 249
Login, I.S., Pancrazio, J.J. and Kim, Y.I., Dopamine enhances a voltage-dependent transient K^+ current in the MMQ cell, a clonal pituitary line expressing functional D_2 dopamine receptor, 331
Lookingland, K.J., see Lindley, S.E., 133
Lopez, K.H., see Jones, R.E., 187

Makara, G.B., see Bartha, L., 323
Marklund, K., see Borg, E., 79
Martin, G., see Oliveras, J.-L., 19
Mastaglia, F.L., see Thickbroom, G.W., 223
Mayevsky, A., see Haselgrove, J.C., 109
McNulty, J.A., see LaPorte, R., 294
Miranda, R., Ceckler, T., Guillet, R. and Kellogg, C., Early developmental exposure to benzodiazepine ligands alters brain ^{31}P NMR spectra in young adult rats, 85
Mitchell, C.L., Barnes, M.I. and Grimes, L.M., Diethyldithiocarbamate and dithizone augment the toxicity of kainic acid, 327
Mondadori, C., Bhatnagar, A., Borkowski, J. and Häusler, A., Involvement of a steroidal component in the mechanism of action of piracetam-like nootropics, 101
Montagne, J., see Oliveras, J.-L., 19
Monyer, H., see Giffard, R.G., 339
Moore, K.E., see Lindley, S.E., 133
Morris, M., see Hattori, T., 169
Mozaffari, M.S., Jirakulsomchok, S., Oparil, S. and Wyss, J.M., Changes in cerebrospinal fluid Na^+ concentration do not underlie hypertensive responses to dietary NaCl in spontaneously hypertensive rats, 149

Nagahiro, S., Diksic, M., Yamamoto, Y.L. and Riml, H., Non-invasive in-vivo autoradiographic method to measure axonal transport in serotoninergic neurons in the rat brain, 120
Nuki, C., see Kawasaki, H., 287
Nyberg, F., Isacson, C.-Å., Brostedt, E. and Roos, P., Characterization of prolactin immunoreactivity in human cerebrospinal fluid, 129

Okuma, S., see Sakuma, S., 307
Olivecrona, T., see Villaró, S., 249
Oliveras, J.-L., Martin, G., Montagne, J. and Vos, B., Single unit activity at ventromedial medulla level in the awake, freely moving rat: effects of noxious heat and light tactile stimuli onto convergent neurons, 19
Oparil, S., see Mozaffari, M.S., 149
Ossowska, K., Wardas, J., Golembiowska, K. and Wolfarth, S., Lateral hypothalamus–zona incerta region as an output station for the catalepsy induced by the blockade of striatal D_1 and D_2 dopamine receptors, 311
O'Steen, W.K., see Wiechmann, A.F., 14

Palkovits, M., see Csiffáry, A., 215
Pancrazio, J.J., see Login, I.S., 331
Parent, A., see Leclerc, N., 70
Patel, A.J., see Sanfeliu, C., 319
Pehek, E.A., see Yamamoto, B.K., 236
Perez-Clausell, J., see Vilaró, S., 249
Peroutka, S.J., see Harrington, M.A., 172
Pick, C.G., see Fares, F., 115
Prechel, M.M., see LaPorte, R., 294

Quintanilla, J.S., see Segade, L.A.G., 267
Quirion, R., see Dam, T.-V., 175
Quirion, R., see Yashpal, K., 259
Quistorff, B., see Haselgrove, J.C., 109

Rajan, R., Electrical stimulation of the inferior colliculus at low rates protects the cochlea from auditory desensitization, 192
Ramirez, O.A., Gomez, R. and Carrer, H.F., Gangliosides improve synaptic transmission in dentate gyrus of hippocampal rat slices, 291
Reichlin, S., see Hillhouse, E., 9
Reina, M., see Vilaró, S., 249
Reis, D.J., see Lacombe, P.M., 93
Reiser, G., Binmöller, F.-J., Strong, P.N. and Hamprecht, B., Activation of a K^+ conductance by bradykinin and by inositol-1,4,5-trisphosphate in rat glioma cells: involvement of intracellular and extracellular Ca^{2+}, 205
Reppert, S.M., see Weaver, D.R., 353
Riml, H., see Nagahiro, S., 120
Rioux, L., see Gaudin, D.P., 166
Roos, P., see Nyberg, F., 129
Saito, A., see Kawasaki, H., 287
Sakuma, S., Ishikawa, H. and Okuma, S., The cell population of somatostatin and growth hormone-releasing factor using quantitative immunohistochemistry in the isolated GH deficient dwarf rat, 307
Sanfeliu, C., Hunt, A. and Patel, A.J., Death of subcortical cholinergic neurons in certain neurodegenerative disorders may not be due to an overstimulation of *N*-methyl-D-aspartate receptors, 319
Sapolsky, R.M., see Tombaugh, G.C., 343
Sasahara, M., see Amano, S., 254
Segade, L.A.G., Quintanilla, J.S. and Cobos, A.R., Contralateral projections of trigeminal mandibular primary afferents in the guinea pig as seen by transganglionic transport of horseradish peroxidase, 267
Sheldon, P.W. and Aghajanian, G.K., Serotonin (5-HT) induces IPSPs in pyramidal layer cells of rat piriform cortex: evidence for the involvement of a 5-HT_2-activated interneuron, 62
Shors, T.J., Levine, S. and Thompson, R.F., Opioid antagonist eliminates the stress-induced impairment of long-term potentiation (LTP), 316
Sigvardt, K.A., see Alford, S., 303
Smith, J.K. and Barron, K.W., Cardiovascular effects of L-glutamate and tetrodotoxin microinjected into the rostral and caudal ventrolateral medulla in normotensive and spontaneously hypertensive rats, 1
Smith, J.K and Barron, K.W., The rostral and caudal ventrolateral medulla in young spontaneously hypertensive rats, 153
Solti, M., see Iverfeldt, K., 335
Steinbach, J.H., see Ifune, C.K., 243
Strong, P.N., see Reiser, G., 205
Sullivan, A.F., see Dickenson, A.H., 31
Sundberg, D.K., see Hattori, T., 169
Sved, A.F., see Lacombe, P.M., 93
Szente, M.B., Baranyi, A. and Woody, C.D., Effects of protein kinase C inhibitor H-7 on membrane properties and synaptic responses of neocortical neurons of awake cats, 281

Takasaki, K., see Kawasaki, H., 287
Tanaka, Y. and Ando, S., Synaptic aging as revealed by changes in membrane potential and decreased activity of Na^+,K^+-ATPase, 46
Teyler, T.J., see Grover, L.M., 53
Thickbroom, G.W. and Mastaglia, F.L., Premotor negativity associated with saccadic eye movement and finger movement: a comparative study, 223
Thompson, R.F., see Shors, T.J., 316
Ticku, M.K., see Kamatchi, G.L., 181
Tombaugh, G.C. and Sapolsky, R.M., Mild acidosis protects hippocampal neurons from injury induced by oxygen and glucose deprivation, 343

Underwood, M.D., see Lacombe, P.M., 93

Vilaró, S., Camps, L., Reina, M., Perez-Clausell, J., Llobera, M. and Olivecrona,

T., Localization of lipoprotein lipase to discrete areas of the guinea pig brain, 249
Visser, T., see Cintra, A., 139
Vos, B., see Oliveras, J.-L., 19

Wang, J., see Burstein, R., 159
Wang, R.Y., see Ashby Jr., C.R., 346
Wardas, J., see Ossowska, K., 311
Weaver, D.R., Carlson, L.L. and Reppert, S.M., Melatonin receptors and signal transduction in melatonin-sensitive and melatonin-insensitive populations of white-footed mice (*Peromyscus leucopus*), 353
Weizman, A., see Fares, F., 115
Wiechmann, A.F. and O'Steen, W.K., Hydroxyindole-*o*-methyltransferase in rat retinal bipolar cells: persistence following photoreceptor destruction, 14
Wikström, A.-C., see Cintra, A., 139
Williams, T.L., see Alford, S., 303
Wisniewski, R.A., see LaPorte, R., 294
Wolfarth, S., see Ossowska, K., 311
Woody, C.D., see Szente, M.B., 281
Wyss, J.M., see Mozaffari, M.S., 149

Yamamoto, B.K. and Pehek, E.A., A neurochemical heterogeneity of the rat striatum as measured by in vivo electrochemistry and microdialysis, 236
Yamamoto, Y.L., see Nagahiro, S., 120
Yanai, J., see Fares, F., 115
Yashpal, K., Dam, T.-V. and Quirion, R., Quantitative autoradiographic distribution of multiple neurokinin binding sites in rat spinal cord, 259

(contents continued)

The effect of systemically and locally administered steroids on VIP-like immunoreactive cells in the paraventricular nucleus of adrenalectomized rats
L. Bartha, D.T. Klein and G.B. Makara (Hungary) 323
Diethyldithiocarbamate and dithizone augment the toxicity of kainic acid
C.L. Mitchell, M.I. Barnes and L.M. Grimes (U.S.A.) 327
Dopamine enhances a voltage-dependent transient K^+ current in the MMQ cell, a clonal pituitary line expressing functional D_2 dopamine receptors
I.S. Login, J.J. Pancrazio and Y.I. Kim (U.S.A.) 331
Substance P and neurokinin A, two coexisting tachykinins stimulating the release of [^{3}H]5-HT from rat cerebral cortical slices
K. Iverfeldt, M. Solti and T. Bartfai (Sweden, Hungary) 335
Acidosis reduces NMDA receptor activation, glutamate neurotoxicity, and oxygen-glucose deprivation neuronal injury in cortical cultures
R.G. Giffard, H. Monyer, C.W. Christine and D.W. Choi (U.S.A.) 339
Mild acidosis protects hippocampal neurons from injury induced by oxygen and glucose deprivation
G.C. Tombaugh and R.M. Sapolsky (U.S.A.) 343
Effects of antipsychotic drugs on 5-HT_2 receptors in the medial prefrontal cortex: microiontophoretic studies
C.R. Ashby, Jr. and R.Y. Wang (U.S.A.) 346
NMDA receptor blockade inhibits gluatamate-induced kindling of the rat amygdala
M.J. Croucher and H.F. Bradford (U.K.) 349
Melatonin receptors and signal transduction in melatonin-sensitive and melatonin-insensitive populations of white-footed mice (*Peromyscus leucopus*)
D.R. Weaver, L.L. Carlson and S.M. Reppert (U.S.A.) 353

Author Index 358